

a prospective, randomized, clinical study. *Paediatr Anaesth*. 2011 Oct;21(10):1066-70. doi: 10.1111/j.1460-9592.2011.03626.x. Epub 2011 Jun 13. PMID: 21668799.

110. Messner AH, Barbita JA. Oral fluid intake following tonsillectomy. *Int J Pediatr Otorhinolaryngol*. 1997;39:19-24.

111. Tabaei A, Lin JW, Dupiton V, Jones JE. The role of oral fluid intake following adeno-tonsillectomy. *Int J Pediatr Otorhinolaryngol*. 2006;70:1159-1164.

112. Kearney R, Mack C, Entwistle L. Withholding oral fluids from children undergoing day surgery reduces vomiting. *Paediatr Anaesth*. 1998;8:331-336.

113. Malik R, Srivastava A, Gambhir S, Yachha SK, Siddegowda M, Ponnusamy M, et al. Assessment of gastric emptying in children: Establishment of control values utilizing a standardized vegetarian meal. *J Gastroenterol Hepatol*. 2016 Feb;31(2):319-25. doi:

10.1111/jgh.13145. PMID: 26267844.

114. Andersson H, Frykholm P. Gastric content assessed with gastric ultrasound in paediatric patients prescribed a light breakfast prior to general anaesthesia: a prospective observational study. *Paediatr Anaesth*. 2019;29:1173-1178.

115. Lee JJ, Price JC, Duren A, Shertzer A, Hannum R, Akita FA, et al. Ultrasound Evaluation of Gastric Emptying Time in Healthy Term Neonates after Formula Feeding. *Anesthesiology*. 2021 Jun 1;134(6):845-851. doi: 10.1097/ALN.0000000000003773. PMID: 33861856.

116. Kim EH, Yoon HC, Lee JH, Kim HS, Jang YE, Ji SH, et al. Prediction of gastric fluid volume by ultrasonography in infants undergoing general anaesthesia. *Br J Anaesth*. 2021 Aug;127(2):275-280. doi: 10.1016/j.bja.2021. 03. 039. Epub 2021 May 25. PMID: 34045064.